ELSEVIER

European Journal of Pharmacology 259 (1994) 343–345

ejp

Author index

Adachi, M., see Konno, S.-i. (259) 15
Adipudi, V. and Reddy, V.K.
Effect of chronic lithium chloride on membrane adenosine triphosphatases in certain postural muscles of rats (259) 7
Aghajanian, G.K., see Marek, G.J. (259) 137
Ahrén, B., see Gregersen, S. (259) 79
Alaranta, S., Klinge, E., Kostiainen, E. and Parkkisenniemi, U.-M.
Relaxation of the bovine retractor penis muscle by a small K^+ excess and the role of K^+ in its neurogenic relaxation (259) 203
Arakawa, H., Lötvall, J., Kawikova, I., Tokuyama, K., Löfdahl, C.-G. and Skoogh, B.-E.
Effect of maturation on airway plasma exudation induced by eicosanoids in guinea pig (259) 251
Asano, K., see Konno, S.-i. (259) 15

Balasubramanian, N., see Schumacher, W.A. (259) 165
Bartfai, T., see Bedecs, K. (259) 151
Bartfai, T., see Gregersen, S. (259) 79
Barthó, L. and Lefebvre, R.A.
Nitric oxide causes contraction in the rat isolated small intestine (259) 101
Barthó, L., Maggi, C.A., Wilhelm, M. and Patacchini, R.
Tachykinin NK_1 and NK_2 receptors mediate atropine-resistant ileal circular muscle contractions evoked by capsaicin (259) 187
Bedecs, K., Langel, Ü., Xu, X.-J., Wiesenfeld-Hallin, Z. and Bartfai, T.
Biological activities of two endogenously occurring *N*-terminally extended forms of galanin in the rat spinal cord (259) 151
Bell, N.J., see Trezise, D.J. (259) 295
Biggio, G., see Serra, M. (259) 1
Bos, E., see Du, X.Y. (259) 173
Broom, T., see Farmer, S.G. (259) 309
Bruns, C., see Kusterer, K. (259) 265
Buchheit, K.-H., see Kusterer, K. (259) 265
Buczko, W., see Malinowska, B. (259) 315
Burrell, L.M., see Phillips, P.A. (259) 325
Busch, A.E., see Herzer, T. (259) 335

Cao, B.-J. and Li, W.-P.
Antagonism of clonidine antinociception by buspirone and 1-(2-pyrimidinyl)-piperazine (259) 75
Carruba, M.O., see Nisoli, E. (259) 181
Chen, C.-T., see Ho, C.-L. (259) 259
Chintala, M., see Sandoli, D. (259) 43
Chiu, P.J.S., see Sandoli, D. (259) 43
Christensen, J.D., see Jørgensen, A. (259) 157
Clapham, J. and Kilpatrick, G.J.
Thioperamide, the selective histamine H_3 receptor antagonist, attenuates stimulant-induced locomotor activity in the mouse (259) 107
Coggan, J.S., see Xian, H. (259) 21
Collins, D.R., Pertwee, R.G. and Davies, S.N.
The action of synthetic cannabinoids on the induction of long-term potentiation in the rat hippocampal slice (259) R7
Conforti, L., Sumii, K. and Sperelakis, N.
Diphenylamine-2-carboxylate blocks voltage-dependent Na^+ and Ca^{2+} channels in rat ventricular cardiomyocytes (259) 215
Connolly, G.P. and Harrison, P.J.
Reactive blue 2 discriminates between responses mediated by UTP and those evoked by ATP or α,β-methylene-ATP on rat sympathetic ganglia (259) 95
Connor, H.E., see O'Shaughnessy, C.T. (259) 37
Cumin, F., see Macari, D. (259) 27

Davies, S.N., see Collins, D.R. (259) R7
De Gasparo, M., see Macari, D. (259) 27
DeSiato, M.A., see Farmer, S.G. (259) 309
Dionisotti, S., see Sandoli, D. (259) 43
Di Pasquale, E., see Monteau, R. (259) 71
Du, X.Y., Schoemaker, R.G., Bos, E. and Saxena, P.R.
Different pharmacological responses of atrium and ventricle: studies with human cardiac tissue (259) 173

Engel, G., see Kusterer, K. (259) 265

Farmer, S.G., Broom, T. and DeSiato, M.A.
Effects of bradykinin receptor agonists, and captopril and thiorphan in ferret isolated trachea: evidence for bradykinin generation in vitro (259) 309
Fjalland, B., see Jørgensen, A. (259) 157
French, R.J., see Light, P.E. (259) 219
Fukuroda, T., see Okada, M. (259) 339

Gan, Q., see Knuepfer, M.M. (259) 305
Gertner, S.B., see McLeod, R.L. (259) 211
Ghiani, C.A., see Serra, M. (259) 1
Giuliani, S., see Lecci, A. (259) 129
Godlewski, G., see Malinowska, B. (259) 315
Goettl, V.M., Xu, X.-J., Larson, A.A. and Wiesenfeld-Hallin, Z.
Substance P N-terminus inhibits C-fiber-dependent facilitation of the rat flexor reflex (259) 83
Goldberg, S.R., see Yasar, S. (259) 243
Gonogami, Y., see Konno, S.-i. (259) 15
Gregersen, S., Langel, Ü., Bartfai, T. and Ahrén, B.
Galanin message-associated polypeptide (GMAP) does not affect insulin secretion from isolated islets (259) 79
Griffin, G., see Pertwee, R. (259) 115

Hamada, E., see Hazama, H. (259) 143
Hanuš, L., see Pertwee, R. (259) 115
Harrison, P.J., see Connolly, G.P. (259) 95
Hazama, H., Nakajima, T., Hisada, T., Hamada, E., Omata, M. and Kurachi, Y.
Effects of azelastine on membrane currents in tracheal smooth muscle cells isolated from the guinea-pig (259) 143
Herzer, T., Busch, A.E., Waldegger, S. and Lang, F.
Inhibition of human I_{sK} channels expressed in *Xenopus* oocytes by calmodulin antagonists (259) 335

Hey, J.A., see McLeod, R.L. (259) 211
Hilaire, G., see Monteau, R. (259) 71
Hisada, T., see Hazama, H. (259) 143
Ho, C.-L., Hwang, L.-L., Lin, Y.-L., Chen, C.-T., Yu, H.-M. and Wang, K.-T.
Cardiovascular effects of mastoparan B and its structural requirements (259) 259
Hoang, D., see Knuepfer, M.M. (259) 305
Hohmann, A.G., see Leitner, M.L. (259) 65
Hönack, D., see Löscher, W. (259) R3
Humphrey, P.P.A., see Trezise, D.J. (259) 295
Hutchins, A.-M., see Phillips, P.A. (259) 325
Hwang, L.-L., see Ho, C.-L. (259) 259

Idänpään-Heikkilä, J.J., see Rauhala, P. (259) 57
Ikeda, K., see Konno, S.-i. (259) 15
Ikemoto, F., see Okada, M. (259) 339
Ito, M., see Nagao, T. (259) 233

Johnston, C.I., see Phillips, P.A. (259) 325
Jørgensen, A., Fjalland, B., Christensen, J.D. and Treiman, M.
Dihydropyridine ligands influence the evoked release of oxytocin and vasopressin dependent on stimulation conditions (259) 157

Kamata, K., Numazawa, T. and Kasuya, Y.
Decrease in vasodilator effects of platelet-activating factor in resistance vessels of spontaneously hypertensive rats (259) 321
Kasuya, Y., see Kamata, K. (259) 321
Kataoka, Y., see Koizumi, S. (259) 195
Kawikova, I., see Arakawa, H. (259) 251
Khakh, B.S., see Trezise, D.J. (259) 295
Kilpatrick, G.J., see Clapham, J. (259) 107
Klinge, E., see Alaranta, S. (259) 203
Knoper, S.R., see Xian, H. (259) 21
Knuepfer, M.M., O'Brien, D., Hoang, D., Gan, Q. and Song, C.
Central sympathetic control of spinal endothelin release in the rat (259) 305
Koizumi, S., Kataoka, Y., Niwa, M., Watanabe, S. and Taniyama, K.
Two distinct pathways are involved in the endothelin-3-evoked dopamine release from rat striatal slices (259) 195
Konno, S.-i., Adachi, M., Asano, K., Gonogami, Y., Ikeda, K., Okamoto, K.-i. and Takahashi, T.
Suppressive effects of IPD-1151T (suplatast-tosilate) on induction of mast cells from normal mouse splenocytes (259) 15
Kostiainen, E., see Alaranta, S. (259) 203
Kreulen, D.L., see Xian, H. (259) 21
Krůšek, J. and Zemková, H.
Effect of ivermectin on γ-aminobutyric acid-induced chloride currents in mouse hippocampal embryonic neurones (259) 121
Kurachi, Y., see Hazama, H. (259) 143
Kusterer, K., Buchheit, K.-H., Schade, A., Bruns, C., Neuberger, C., Engel, G. and Usadel, K.H.
The somatostatin analogue octreotide protects against ethanol-induced microcirculatory stasis and elevated vascular permeability in rat gastric mucosa (259) 265
Kwok, Y.-N., see McIntosh, C. (259) 331

Lang, F., see Herzer, T. (259) 335
Langel, Ü., see Bedecs, K. (259) 151
Langel, Ü., see Gregersen, S. (259) 79
Larson, A.A., see Goettl, V.M. (259) 83
Lecci, A., Giuliani, S., Santicioli, P. and Maggi, C.A.
Involvement of spinal tachykinin NK_1 and NK_2 receptors in detrusor hyperreflexia during chemical cystitis in anaesthetized rats (259) 129
Lefebvre, R.A., see Barthó, L. (259) 101
Leitner, M.L., Hohmann, A.G., Patrick, S.L. and Walker, J.M.
Regional variation in the ratio of σ_1 to σ_2 binding in rat brain (259) 65
Levens, N., see Macari, D. (259) 27
Lewis, A.I., see Zuccarello, M. (259) R1
Li, W.-P., see Cao, B.-J. (259) 75
Light, P.E. and French, R.J.
Glibenclamide selectively blocks ATP-sensitive K^+ channels reconstituted from skeletal muscle (259) 219
Lin, Y.-L., see Ho, C.-L. (259) 259
Löfdahl, C.-G., see Arakawa, H. (259) 251
Löscher, W. and Hönack, D.
Over-additive anticonvulsant effect of memantine and NBQX in kindled rats (259) R3
Lötvall, J., see Arakawa, H. (259) 251

Macari, D., Whitebread, S., Cumin, F., De Gasparo, M. and Levens, N.
Renal actions of the angiotensin AT_2 receptor ligands CGP 42112 and PD 123319 after blockade of the renin-angiotensin system (259) 27
Maggi, C.A., see Barthó, L. (259) 187
Maggi, C.A., see Lecci, A. (259) 129
Malinowska, B., Godlewski, G., Buczko, W. and Schlicker, E.
EP_3 receptor-mediated inhibition of the neurogenic vasopressor response in pithed rats (259) 315
Männistö, P.T., see Rauhala, P. (259) 57
Marceau, F., see Petitclerc, E. (259) 91
Marek, G.J. and Aghajanian, G.K.
Excitation of interneurons in piriform cortex by 5-hydroxytryptamine: blockade by MDL 100,907, a highly selective $5\text{-}HT_{2A}$ receptor antagonist (259) 137
McIntosh, C., Yago, V. and Kwok, Y.-N.
β-Funaltrexamine blockade of opioid-induced inhibition of somatostatin secretion from rat stomach (259) 331
McLeod, R.L., Gertner, S.B. and Hey, J.A.
Species differences in the cardiovascular responses to histamine H_3 receptor activation (259) 211
McMurdo, L., Thiemermann, C. and Vane, J.R.
The endothelin ET_B receptor agonist, IRL 1620, causes vasodilatation and inhibits ex vivo platelet aggregation in the anaesthetised rabbit (259) 51
Mechoulam, R., see Pertwee, R. (259) 115
Michel, A.D., see Trezise, D.J. (259) 295
Monteau, R., Di Pasquale, E. and Hilaire, G.
Further evidence that various 5-HT receptor subtypes modulate central respiratory activity: in vitro studies with SR 46349B (259) 71
Motzo, C., see Serra, M. (259) 1

Nagamatsu, T., see Nagao, T. (259) 233
Nagao, T., Ito, M., Nagamatsu, T. and Suzuki, Y.
Effect of DP-1904, a thromboxane A_2 synthetase inhibitor, on crescentic nephritis in rats (259) 233
Nakajima, T., see Hazama, H. (259) 143
Neuberger, C., see Kusterer, K. (259) 265
Nishikibe, M., see Okada, M. (259) 339
Nisoli, E., Tonello, C. and Carruba, M.O.
SR 58611A: a novel thermogenic β-adrenoceptor agonist (259) 181
Niwa, M., see Koizumi, S. (259) 195
Numazawa, T., see Kamata, K. (259) 321

O'Brien, D., see Knuepfer, M.M. (259) 305
Okada, M., Fukuroda, T., Shimamoto, K., Takahashi, R., Ikemoto, F., Yano, M. and Nishikibe, M.
Antihypertensive effects of BQ-123, a selective endothelin ET_A receptor antagonist, in spontaneously hypertensive rats treated with DOCA-salt (259) 339
Okamoto, K., see Sakuta, H. (259) 223

Okamoto, K.-i., see Konno, S.-i. (259) 15
Omata, M., see Hazama, H. (259) 143
Ongini, E., see Sandoli, D. (259) 43
O'Shaughnessy, C.T. and Connor, H.E.
Activation of sensory nerves in guinea-pig isolated basilar artery by nicotine: evidence for inhibition of trigeminal sensory neurotransmission by sumatriptan (259) 37

Parkkisenniemi, U.-M., see Alaranta, S. (259) 203
Patacchini, R., see Barthó, L. (259) 187
Patrick, S.L., see Leitner, M.L. (259) 65
Pertwee, R., Griffin, G., Hanuš, L. and Mechoulam, R.
Effects of two endogenous fatty acid ethanolamides on mouse vasa deferentia (259) 115
Pertwee, R.G., see Collins, D.R. (259) R7
Petitclerc, E., Poubelle, P.E. and Marceau, F.
Epidermal growth factor-induced rapid relaxation of the isolated rabbit mesenteric artery (259) 91
Phillips, P.A., Hutchins, A.-M., Burrell, L.M., Risvanis, J. and Johnston, C.I.
V_1-like [Arg^8]vasopressin binding sites occur in rat hepatocyte nuclei (259) 325
Porceddu, M.L., see Serra, M. (259) 1
Poubelle, P.E., see Petitclerc, E. (259) 91

Radhakrishnan, R. and Sim, M.K.
Enhanced pressor response to angiotensin III in spontaneously hypertensive rats: effects of losartan (259) 87
Rapoport, R.M., see Zuccarello, M. (259) R1
Rauhala, P., Idänpään-Heikkilä, J.J., Tuominen, R.K. and Männistö, P.T.
N-Nitro-L-arginine attenuates development of tolerance to antinociceptive but not to hormonal effects of morphine (259) 57
Reddy, V.K., see Adipudi, V. (259) 7
Risvanis, J., see Phillips, P.A. (259) 325

Sakuta, H. and Okamoto, K.
Inhibition by imidazoline and imidazolidine derivatives of glibenclamide-sensitive K^+ currents in *Xenopus* oocytes (259) 223
Sandoli, D., Chiu, P.J.S., Chintala, M., Dionisotti, S. and Ongini, E.
In vivo and ex vivo effects of adenosine A_1 and A_2 receptor agonists on platelet aggregation in the rabbit (259) 43
Santicioli, P., see Lecci, A. (259) 129
Saxena, P.R., see Du, X.Y. (259) 173
Schade, A., see Kusterer, K. (259) 265
Schindler, C.W., see Yasar, S. (259) 243
Schlicker, E., see Malinowska, B. (259) 315
Schoemaker, R.G., see Du, X.Y. (259) 173
Schumacher, W.A., Balasubramanian, N., St. Laurent, D.R. and Seiler, S.M.
Effect of a novel thrombin active-site inhibitor on arterial and venous thrombosis (259) 165
Seiler, S.M., see Schumacher, W.A. (259) 165
Serra, M., Ghiani, C.A., Motzo, C., Porceddu, M.L. and Biggio, G.
Long-term treatment with abecarnil fails to induce tolerance in mice (259) 1
Shimamoto, K., see Okada, M. (259) 339
Sim, M.K., see Radhakrishnan, R. (259) 87
Skoogh, B.-E., see Arakawa, H. (259) 251
Song, C., see Knuepfer, M.M. (259) 305
Sperelakis, N., see Conforti, L. (259) 215
Stallone, J.N.
Sex differences in nitric oxide-mediated attenuation of vascular reactivity to vasopressin are abolished by gonadectomy (259) 273
St. Laurent, D.R., see Schumacher, W.A. (259) 165
Stoessl, A.J.
Dopamine D_1 receptor agonist-induced grooming is blocked by the opioid receptor antagonist naloxone (259) 301
Sumii, K., see Conforti, L. (259) 215
Suzuki, Y., see Nagao, T. (259) 233

Tabrizchi, R.
Effects of chronic receptor blockade on excitation-contraction coupling in rat aortic rings (259) 285
Takahashi, R., see Okada, M. (259) 339
Takahashi, T., see Konno, S.-i. (259) 15
Taniyama, K., see Koizumi, S. (259) 195
Thiemermann, C., see McMurdo, L. (259) 51
Thorndike, E.B., see Yasar, S. (259) 243
Tokuyama, K., see Arakawa, H. (259) 251
Tonello, C., see Nisoli, E. (259) 181
Treiman, M., see Jørgensen, A. (259) 157
Trezise, D.J., Bell, N.J., Khakh, B.S., Michel, A.D. and Humphrey, P.P.A.
P_2 purinoceptor antagonist properties of pyridoxal-5-phosphate (259) 295
Tuominen, R.K., see Rauhala, P. (259) 57

Usadel, K.H., see Kusterer, K. (259) 265

Vane, J.R., see McMurdo, L. (259) 51

Waldegger, S., see Herzer, T. (259) 335
Walker, J.M., see Leitner, M.L. (259) 65
Wang, K.-T., see Ho, C.-L. (259) 259
Watanabe, S., see Koizumi, S. (259) 195
Whitebread, S., see Macari, D. (259) 27
Wiesenfeld-Hallin, Z., see Bedecs, K. (259) 151
Wiesenfeld-Hallin, Z., see Goettl, V.M. (259) 83
Wilhelm, M., see Barthó, L. (259) 187

Xian, H., Coggan, J.S., Knoper, S.R. and Kreulen, D.L.
The muscarinic receptor agonist oxotremorine methiodide evokes a nicotinic response in mammalian sympathetic neurons (259) 21
Xu, X.-J., see Bedecs, K. (259) 151
Xu, X.-J., see Goettl, V.M. (259) 83

Yago, V., see McIntosh, C. (259) 331
Yano, M., see Okada, M. (259) 339
Yasar, S., Schindler, C.W., Thorndike, E.B. and Goldberg, S.R.
Evaluation of deprenyl for cocaine-like discriminative stimulus effects in rats (259) 243
Yu, H.-M., see Ho, C.-L. (259) 259

Zemková, H., see Krůšek, J. (259) 121
Zuccarello, M., Lewis, A.I. and Rapoport, R.M.
Endothelin ET_A and ET_B receptors in subarachnoid hemorrhage-induced cerebral vasospasm (259) R1